AHRI CERTIFIED™
www.ahridirectory.org

Certificate of Product Ratings

AHRI Certified Reference Number: 5937372   Date: 6/4/2013   †Status: Active

Product: Single Duct Terminal Units (Supply)
Model Number: PITU-15
Manufacturer: FAISAL JASSIM INDUSTRIES
Trade/Brand name: FLOWTECH

Rated as follows in accordance with AHRI Standard 880-98 and Addendum for Variable Air Volume Terminals and subject to verification of rating accuracy by AHRI-sponsored, independent, third party testing:

Fan Powered:	No
Primary Air Flow Rate (CFM):	270
Minimum Supply Operating Pressure Required:	0.04

Radiated Sound Power Level in dB
1 1/2 inches of Water Static Pressure

125:   69
250:   58
500:   51
1000: 41
2000: 36
4000: 28

Discharge Sound Power Level in dB
1 1/2 inches of Water Static Pressure

125:   73
250:   68
500:   59
1000: 48
2000: 43
4000: 42

† Models with an 'Active' status are those that are currently in production. Models with a 'Discontinued' status are those that the manufacturer has elected to stop producing, yet stock is still available. Models with an 'Obsolete' status are those that the manufacturer is required to stop manufacturing due to an AHRI certification program test failure.

* Ratings followed by an asterisk (*) indicate a voluntary rerate of previously published data, unless accompanied with a WAS, which indicates an involuntary rerate.

AHRI Air-Conditioning, Heating, and Refrigeration Institute

CERTIFICATE NO.: 130148249931979050

Certificate of Product Ratings

AHRI Certified Reference Number: 5937373   Date: 6/4/2013   †Status: Active

Product: Single Duct Terminal Units (Supply)

Model Number: PITU-20

Manufacturer: FAISAL JASSIM INDUSTRIES

Trade/Brand name: FLOWTECH

Rated as follows in accordance with AHRI Standard 880-98 and Addendum for Variable Air Volume Terminals and subject to verification of rating accuracy by AHRI-sponsored, independent, third party testing:

Fan Powered:	No
Primary Air Flow Rate (CFM):	469
Minimum Supply Operating Pressure Required:	0.05

Radiated Sound Power Level in dB
1 1/2 inches of Water Static Pressure

125:	69
250:	60
500:	51
1000:	42
2000:	36
4000:	31

Discharge Sound Power Level in dB
1 1/2 inches of Water Static Pressure

125:	77
250:	68
500:	68
1000:	54
2000:	49
4000:	47

† Models with an 'Active' status are those that are currently in production. Models with a 'Discontinued' status are those that the manufacturer has elected to stop producing, yet stock is still available. Models with an 'Obsolete' status are those that the manufacturer is required to stop manufacturing due to an AHRI certification program test failure.

* Ratings followed by an asterisk (*) indicate a voluntary rerate of previously published data, unless accompanied with a WAS, which indicates an involuntary rerate.

AHRI Air-Conditioning, Heating, and Refrigeration Institute

©2013 Air-Conditioning, Heating, and Refrigeration Institute

CERTIFICATE NO.: 130148250206071368

Certificate of Product Ratings

AHRI Certified Reference Number: 5937374   Date: 6/4/2013   †Status: Active

Product: Single Duct Terminal Units (Supply)
Model Number: PITU-25
Manufacturer: FAISAL JASSIM INDUSTRIES
Trade/Brand name: FLOWTECH

Rated as follows in accordance with AHRI Standard 880-98 and Addendum for Variable Air Volume Terminals and subject to verification of rating accuracy by AHRI-sponsored, independent, third party testing:

Fan Powered:	No
Primary Air Flow Rate (CFM):	737
Minimum Supply Operating Pressure Required:	0.04

Radiated Sound Power Level in dB
1 1/2 inches of Water Static Pressure

125:	67
250:	57
500:	48
1000:	37
2000:	32
4000:	27

Discharge Sound Power Level in dB
1 1/2 inches of Water Static Pressure

125:	74
250:	68
500:	64
1000:	54
2000:	52
4000:	49

† Models with an 'Active' status are those that are currently in production. Models with a 'Discontinued' status are those that the manufacturer has elected to stop producing, yet stock is still available. Models with an 'Obsolete' status are those that the manufacturer is required to stop manufacturing due to an AHRI certification program test failure.

* Ratings followed by an asterisk (*) indicate a voluntary rerate of previously published data, unless accompanied with a WAS, which indicates an involuntary rerate.

DISCLAIMER
AHRI does not endorse the product(s) listed on this Certificate and makes no representations, warranties or guarantees as to, and assumes no responsibility for, the product(s) listed on this Certificate. AHRI expressly disclaims all liability for damages of any kind arising out of the use or performance of the product(s), or the unauthorized alteration of data listed on this Certificate. Certified ratings are valid only for models and configurations listed in the directory at www.ahridirectory.org.

TERMS AND CONDITIONS
This Certificate and its contents are proprietary products of AHRI. This Certificate shall only be used for individual, personal and confidential reference purposes. The contents of this Certificate may not, in whole or in part, be reproduced; copied; disseminated; entered into a computer database; or otherwise utilized, in any form or manner or by any means, except for the user's individual, personal and confidential reference.

CERTIFICATE VERIFICATION
The information for the model cited on this certificate can be verified at www.ahridirectory.org, click on "Verify Certificate" link and enter the AHRI Certified Reference Number and the date on which the certificate was issued, which is listed above, and the Certificate No., which is listed below.

©2013 Air-Conditioning, Heating, and Refrigeration Institute

AHRI Air-Conditioning, Heating, and Refrigeration Institute

CERTIFICATE NO.: 130148250354681285

AHRI CERTIFIED™
www.ahridirectory.org

Certificate of Product Ratings

AHRI Certified Reference Number: 5937375   Date: 6/4/2013   †Status: Active

Product: Single Duct Terminal Units (Supply)

Model Number: PITU-30

Manufacturer: FAISAL JASSIM INDUSTRIES

Trade/Brand name: FLOWTECH

Rated as follows in accordance with AHRI Standard 880-98 and Addendum for Variable Air Volume Terminals and subject to verification of rating accuracy by AHRI-sponsored, independent, third party testing:

Fan Powered:	No
Primary Air Flow Rate (CFM):	1072
Minimum Supply Operating Pressure Required:	-0.01

Radiated Sound Power Level in dB 1 1/2 inches of Water Static Pressure	Discharge Sound Power Level in dB 1 1/2 inches of Water Static Pressure
125: 69	125: 76
250: 60	250: 71
500: 51	500: 65
1000: 41	1000: 56
2000: 35	2000: 54
4000: 30	4000: 52

† Models with an 'Active' status are those that are currently in production. Models with a 'Discontinued' status are those that the manufacturer has elected to stop producing, yet stock is still available. Models with an 'Obsolete' status are those that the manufacturer is required to stop manufacturing due to an AHRI certification program test failure.

* Ratings followed by an asterisk (*) indicate a voluntary rerate of previously published data, unless accompanied with a WAS, which indicates an involuntary rerate.

AHRI Air-Conditioning, Heating, and Refrigeration Institute

CERTIFICATE NO.: 130148250501103464

AHRI CERTIFIED™

www.ahridirectory.org

Certificate of Product Ratings

AHRI Certified Reference Number: 5937376   Date: 6/4/2013   †Status: Active

Product: Single Duct Terminal Units (Supply)
Model Number: PITU-35
Manufacturer: FAISAL JASSIM INDUSTRIES
Trade/Brand name: FLOWTECH

Rated as follows in accordance with AHRI Standard 880-98 and Addendum for Variable Air Volume Terminals and subject to verification of rating accuracy by AHRI-sponsored, independent, third party testing:

Fan Powered:	No
Primary Air Flow Rate (CFM):	1407
Minimum Supply Operating Pressure Required:	-0.05

Radiated Sound Power Level in dB
1 1/2 inches of Water Static Pressure

125:	69
250:	61
500:	52
1000:	44
2000:	37
4000:	32

Discharge Sound Power Level in dB
1 1/2 inches of Water Static Pressure

125:	78
250:	72
500:	65
1000:	57
2000:	54
4000:	52

† Models with an 'Active' status are those that are currently in production. Models with a 'Discontinued' status are those that the manufacturer has elected to stop producing, yet stock is still available. Models with an 'Obsolete' status are those that the manufacturer is required to stop manufacturing due to an AHRI certification program test failure.

* Ratings followed by an asterisk (*) indicate a voluntary rerate of previously published data, unless accompanied with a WAS, which indicates an involuntary rerate.

AHRI Air-Conditioning, Heating, and Refrigeration Institute

CERTIFICATE NO.: 130148250637048626

AHRI CERTIFIED™
www.ahridirectory.org

Certificate of Product Ratings

AHRI Certified Reference Number: 5937377　　　Date: 6/4/2013　　　†Status: Active

Product: Single Duct Terminal Units (Supply)

Model Number: PITU-40

Manufacturer: FAISAL JASSIM INDUSTRIES

Trade/Brand name: FLOWTECH

Rated as follows in accordance with AHRI Standard 880-98 and Addendum for Variable Air Volume Terminals and subject to verification of rating accuracy by AHRI-sponsored, independent, third party testing:

Fan Powered:	No
Primary Air Flow Rate (CFM):	1876
Minimum Supply Operating Pressure Required:	-0.03

Radiated Sound Power Level in dB 1 1/2 inches of Water Static Pressure	Discharge Sound Power Level in dB 1 1/2 inches of Water Static Pressure
125: 71	125: 76
250: 64	250: 73
500: 54	500: 66
1000: 46	1000: 58
2000: 42	2000: 57
4000: 35	4000: 54

† Models with an 'Active' status are those that are currently in production. Models with a 'Discontinued' status are those that the manufacturer has elected to stop producing, yet stock is still available. Models with an 'Obsolete' status are those that the manufacturer is required to stop manufacturing due to an AHRI certification program test failure.

* Ratings followed by an asterisk (*) indicate a voluntary rerate of previously published data, unless accompanied with a WAS, which indicates an involuntary rerate.

AHRI Air-Conditioning, Heating, and Refrigeration Institute

CERTIFICATE NO.: 130148250770180442